

S12 4	1	"6665378".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 14:18
S12 5	1	"6594255".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 14:21
S12 6	9	("5592470" "6128624" "6147975" "6151584" "6205211" "6308328" "6345239" "6351771" "6430188").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 14:21
S12 7	8059	message with log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 14:28
S12 8	223	message with log with receive with (sent or send)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 14:29
S12 9	80	message with log with receive with (sent or send) and telephone with call	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 14:29
S13 0	79	message with log with receive with (sent or send) and telephone with call and communication and information and log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 14:30
S13 1	79	message with log with receive with (sent or send) and telephone with call and communication and information and log with messag\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 14:30
S13 2	26	message with log with receive with (sent or send) and telephone with call and communication and information and log with messag\$ and correlat\$ with information	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 14:31
S13 3	0	message with log with receive with (sent or send) and telephone with call and communication and information and log with messag\$ and correlat\$ with information and electroni	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 14:31
S13 4	26	message with log with receive with (sent or send) and telephone with call and communication and information and log with messag\$ and correlat\$ with information and electron\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 14:38

S13 5	26	message with log with receive with (sent or send) and telephone with call and communication and information and log with messag\$ and correlat\$ with information	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 14:38
S13 6	79	message with log with receive with (sent or send) and telephone with call and communication and information and log with messag\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 14:44
S13 7	79	messag\$ with log with receive with (sent or send) and telephone with call and communication and information and log with messag\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 15:04
S13 8	24	messag\$ with log with receive with (sent or send) and (miss or unanswer\$) with call and communication and information and log with messag\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 15:16
S13 9	24	messag\$ with log with receive with (sent or send) and (miss or unanswer\$) with call and communication and log with messag\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 15:20
S14 0	2	("6772188" "6782086").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 15:21
S14 1	0	("6772188" "6782086").pn. and log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 15:22
S14 2	5195	communication with (sent or send) with receive with messag\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 15:22
S14 3	206	communication with (sent or send) with receive with messag\$ and "electronic communication"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 15:23
S14 4	27	communication with (sent or send) with receive with messag\$ and "electronic communication" and messag\$ with log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 15:45
S14 5	1103	"message log"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 15:45
S14 6	64	"message log" with communication	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 15:45

S14 7	35	"message log" with communication and (send or sent) with receive	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 15:46
S14 8	29	"message log" with communication and (send or sent) with receive with messag\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 15:50
S14 9	3	"message log" with communication and (send or sent) with receive with messag\$ and (missed or unanswered) with call	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 15:47
S15 0	10	"message log" with communication and (send or sent) with receive with messag\$ and log with information	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 15:55
S15 1	3	"message log" with communication and (send or sent) with receive with messag\$ with log and log with information	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 15:57
S15 2	404	"communication log"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 15:57
S15 3	73	"communication log" and receive with (send or sent) with (message or communication)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 15:57
S15 4	1	"communication log" and receive with (send or sent) with (message or communication) and ("not answered" or unanswered or missed) with call	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 16:01
S15 5	24	"communication log" and receive with (send or sent) with log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 16:02
S15 6	5	"communication log" and receive with (send or sent) with log and telephone and fax	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 16:02
S15 7	64	communication with "message log"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 16:25
S15 8	2	telecommunication with "message log"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 16:25

S15 9	2	telecommunication with "message log" and "message log"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 16:26
S16 0	2395	telecommunication with "message log" and "message log" and receive with message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 16:27
S16 1	5706	telecommunication with "message log" and "message log" and receive	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 16:27
S16 2	2395	telecommunication with "message log" and "message log" and "receive" with message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 16:27
S16 3	3365	telecommunication with "message log" and "message log" and sent with message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/07 16:27
S16 4	313	(SIC adj Code\$) and database\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 10:35
S16 5	212	(SIC adj Code\$) and database\$ and search	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 10:35
S16 6	43	(SIC adj Code\$) and database\$ and search and community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 10:35
S16 7	15	(SIC adj Code\$) and database\$ and search and community\$ with business	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 10:36
S16 8	5	(SIC adj Code\$) and database\$ and search and community\$ with business and (narrow or zoom)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:58
S16 9	4	(SIC adj database\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:03
S17 0	0	(SIC adj Code\$) and database\$ and search and community\$ with business and (narrow or zoom) with search	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 10:36

S17 1	4	(SIC adj database\$) and business	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:25
S17 2	779	business with structure\$ and community	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:34
S17 3	369	business with structure\$ and community with business	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:34
S17 4	1	business with structure\$ and community with business and sub-business	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:34
S17 5	4	community with business and sub-business	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:35
S17 6	3	community with business and sub-business with community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:35
S17 7	3	community\$ with business and sub-business with community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:41
S17 8	1	"6594654".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:39
S17 9	2	("6594654" "6046742" "5845062" "6289348").pn. and business	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:40
S18 0	0	("6594654" "6046742" "5845062" "6289348").pn. and business with community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:40
S18 1	0	("6594654" "6046742" "5845062" "6289348").pn. and business and community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:40
S18 2	5	community\$ with business and subset with business with community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:46

S18 3	4	community\$ with business and subset with business with community\$ and customize\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:46
S18 4	1	community\$ with business and subset with business with community\$ and customize\$ with community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:55
S18 5	66	"zoom" and business with community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 14:03
S18 6	1442	"zoom" same search and business with community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:56
S18 7	4	"zoom" same search and business with community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:57
S18 8	2	"zoom" with search and business with community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:57
S18 9	0	(SIC adj Code\$) and database\$ and search and community\$ with business and (narrow or zoom) and sub-community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:58
S19 0	0	(SIC adj Code\$) and database\$ and search and community\$ with business and (narrow or zoom) and sub-business	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:58
S19 1	0	(SIC adj Code\$) and database\$ and search and community\$ with business and (narrow or zoom) and sub-business	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 13:58
S19 2	1193	("zoom" or modif\$) and business with community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 14:23
S19 3	3	("zoom" or modif\$) with search with business with community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 14:30
S19 4	174	assign\$ with user with community	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 14:30

S19 5	24	assign\$ with user with community\$ and business with community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 14:31
S19 6	20	assign\$ with user with community\$ and business with community\$ and search	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 14:31
S19 7	10	assign\$ with user with community\$ and business with community\$ and search and ("sub-business" or "sub-community" or "subset")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 14:37
S19 8	17	search with zoom with tool	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 14:37
S19 9	2	search with zoom with tool and community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 14:40
S20 0	17	search with (narrow\$ or modif\$ or zoom) with tool and community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 14:41
S20 1	5	search with (narrow\$ or zoom) with tool and community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 14:44
S20 2	3	search with (narrow\$ or zoom) with subset and community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 14:59
S20 3	31912	search with (narrow\$ or zoom) with subset with resultand community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 14:44
S20 4	0	search with (narrow\$ or zoom) with subset with result and community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 14:44
S20 5	0	search with (narrow\$ or zoom) with subset with result and community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 15:00
S20 6	2	search with (narrow\$ or zoom) same subset with result and community\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/16 15:00

S20 7	1	"20030158897".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/18 16:13
----------	---	-------------------	---	----	----	------------------